

CERTIFIED MACHINER AUTHORIZATION TO MARK

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report(s). This authorization also applies to the Multiple Listee model(s) identified on the correlation page of the Listing Report.


This document is the property of Intertek Testing Services and is not transferable. The Certification Mark(s) may be applied only at the location of the Party Authorized to Apply Mark.

Party Authorized to Apply Mark: Liberty Millennium LLC
4230 N. Nevada Ave.
Colorado Springs, CO 80907
United States

Contact: Jeremy Seabaugh
Phone: 719-260-7200
Email: jseabaugh@libertyopenings.com
Client Number: 335163

Authorized By: 
Jean-Philippe Kayl, Director of Certification

Intertek Testing Services NA, Inc.
545 E. Algonquin Road, Ste H., Arlington Heights, IL 60005 USA
Phone: 847-439-5667 Fax: 847-439-7320



This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Testing Standard(s):	Contained in Listing Report
Product:	See following page(s)

Supplier	Owner	Specification Description
Lynden Door, Inc. (WA)	Creative Composites, Ltd.	Creative Composites 20 Minute NP/PP Fire Rated RigiCore GP Core Acoustic Fire Door
Lynden Door, Inc. (WA)	Creative Composites, Ltd.	Creative Composites 20 Minute NP/PP Fire Rated RigiCore KB35 Core Acoustic Fire Door
Lynden Door, Inc. (WA)	Creative Composites, Ltd.	Creative Composites 20 Minute NP/PP Fire Rated RigiCore KB38 Core Acoustic Fire Door
Lynden Door, Inc. (WA)	Creative Composites, Ltd.	Creative Composites 20 Minute NP/PP Fire Rated RigiCore KB36 Core Acoustic Fire Door
Lynden Door, Inc. (WA)	Creative Composites, Ltd.	Creative Composites 20 Minute NP/PP Fire Rated RigiCore KB39 Core Acoustic Fire Door
Lynden Door, Inc. (WA)	Creative Composites, Ltd.	Creative Composites 20 Minute NP/PP Fire Rated RigiCore KB40 Core Acoustic Fire Door
Lynden Door, Inc. (WA)	Creative Composites, Ltd.	Creative Composites 45 Minute Positive Pressure Fire Rated RigiCore HD45 Core Acoustic Fire Door
Lynden Door, Inc. (WA)	Creative Composites, Ltd.	Creative Composites 45 Minute Positive Pressure Fire Rated RigiCore KB39 Core Acoustic Fire Door
Lynden Door, Inc. (WA)	Creative Composites, Ltd.	Creative Composites 45 Minute Positive Pressure Fire Rated RigiCore KB40 Core Acoustic Fire Door
Lynden Door, Inc. (WA)	Creative Composites, Ltd.	Creative Composites 45 Minute Positive Pressure Fire Rated RigiCore KB42 Core Acoustic Fire Door
Lynden Door, Inc. (WA)	Creative Composites, Ltd.	Creative Composites 45 Minute Positive Pressure Fire Rated RigiCore KB43 Core Acoustic Fire Door
Lynden Door, Inc. (WA)	Creative Composites, Ltd.	Creative Composites 20 Minute NP/PP Fire Rated RigiCore KB41 Core Acoustic Fire Door
Lynden Door, Inc. (WA)	Creative Composites, Ltd.	Creative Composites 20 Minute NP/PP Fire Rated RigiCore EXLC Core Acoustic Fire Door
Lynden Door, Inc. (WA)	Creative Composites, Ltd.	Creative Composites 20 Minute NP/PP Fire Rated RigiCore Magnum Core Acoustic Fire Door
Lynden Door, Inc. (WA)	Creative Composites, Ltd.	Creative Composites 20 Minute RigiCore Magnum Plus Core Acoustic Fire Door
Lynden Door, Inc. (WA)	Creative Composites, Ltd.	Creative Composites 45 Minute NP/PP Wood Composite Lead Lined Door
Lynden Door, Inc. (WA)	Creative Composites, Ltd.	Creative Composites 20 Minute NP/PP Fire Rated RigiCore SL Core Acoustic Fire Door
Lynden Door, Inc. (WA)	JELD-WEN, Inc.	JELD-WEN 20 Min Fire Rated Panel Door
Lynden Door, Inc. (WA)	JELD-WEN, Inc.	JELD-WEN 20 Min Molded Simulated Panel Door (with hose stream)
Lynden Door, Inc. (WA)	JELD-WEN, Inc.	JELD-WEN 20 Min Flush Fire Door (with hose)
Lynden Door, Inc. (WA)	JELD-WEN, Inc.	JELD-WEN Premium 20 Min Fiberglass Skin Entry Door PP
Lynden Door, Inc. (WA)	JELD-WEN, Inc.	JELD-WEN 20 min Stile and Rail Wood Panel Fire Door (without hose)

Supplier	Owner	Specification Description
Lynden Door, Inc. (WA)	JELD-WEN, Inc.	JELD-WEN Premium 20 Min Fiberglass Skin Entry Door NP
Lynden Door, Inc. (WA)	JELD-WEN, Inc.	JELD-WEN Exterior 20 Min Foam-Filled Steel Faced Door (without hose)
Lynden Door, Inc. (WA)	JELD-WEN, Inc.	JELD-WEN 20 Min Flush Fire Door (without hose stream)
Lynden Door, Inc. (WA)	JELD-WEN, Inc.	JELD-WEN 20 Min Molded Simulated Panel Door (without hose stream)
Lynden Door, Inc. (WA)	JELD-WEN, Inc.	JELD-WEN 20 Min Molded Simulated Panel LDF Core Door (without hose stream)
Lynden Door, Inc. (WA)	JELD-WEN, Inc.	JELD-WEN 20 Min Custom Carved Doors (without hose stream)
Lynden Door, Inc. (WA)	JELD-WEN, Inc.	JELD-WEN 20 Min Madison, Monroe, Craftsman, Birkdale Molded Panel doors (PP or NP with hose stream)
Lynden Door, Inc. (WA)	JELD-WEN, Inc.	JELD-WEN Aurora 20 Min Polyurethane or LVL Core Fire Door (PP w/hose)
Lynden Door, Inc. (WA)	JELD-WEN, Inc.	JELD-WEN Conmore 20 Minute Routed Particleboard Core Fire Door
Lynden Door, Inc. (WA)	JELD-WEN, Inc.	JELD-WEN 20 Min Fiberglass Face Fire Door with Hose Stream
Lynden Door, Inc. (WA)	JELD-WEN, Inc.	Jeld-Wen 20 Min Wood Flush Fire Door - Cat A & Cat B
Lynden Door, Inc. (WA)	JELD-WEN, Inc.	Jeld-Wen 20 Minute Routed Particleboard Door (Without Hose Stream)
Lynden Door, Inc. (WA)	JELD-WEN, Inc.	Jeld-Wen Bravo 20 Min (with Hose) Fire Door MDF Panel Type PP
Lynden Door, Inc. (WA)	JELD-WEN, Inc.	Jeld-Wen Encore 20 Minute (with hose) Routed Simulated Panel Fire Door PP
Lynden Door, Inc. (WA)	JELD-WEN, Inc.	Jeld-Wen Encore 20 Minute (without hose) Routed Simulated Panel Fire Door PP
Lynden Door, Inc. (WA)	JELD-WEN, Inc.	Jeld-Wen Infinity/Millennium 20 Min Fire Door w/Inlay Moulding
Lynden Door, Inc. (WA)	JELD-WEN, Inc.	Jeld-Wen Ovation 20 Min (with hose) Fire Door MDF Panel Type PP
Lynden Door, Inc. (WA)	JELD-WEN, Inc.	JELD-WEN 20 Min Particleboard Core PP (Without Hose)
Lynden Door, Inc. (WA)	JELD-WEN, Inc.	JELD-WEN 20 Min Custom Carved Doors (with hose stream)
Lynden Door, Inc. (WA)	JELD-WEN, Inc.	JELD-WEN Exterior 20 Min Foam-Filled Steel Faced Door
Lynden Door, Inc. (WA)	JELD-WEN, Inc.	JELD-WEN 20 Min Molded Simulated Panel LDF Core Door (with hose stream)
Lynden Door, Inc. (WA)	JELD-WEN, Inc.	JELD-WEN 20 Min Fire Rated Panel Door (without hose - Nicolai)

Supplier	Owner	Specification Description
Lynden Door, Inc. (WA)	Lexington Manufacturing, LLC	Lexington 90 Min Mineral Core Fire Doors Model Fire Shield 90
Lynden Door, Inc. (WA)	Lexington Manufacturing, LLC	Lexington Fire Guard 60 Min Mineral Core Fire Doors
Lynden Door, Inc. (WA)	Lexington Manufacturing, LLC	Lexington 20-45 Min Door
Lynden Door, Inc. (WA)	Lexington Manufacturing, LLC	Lexington Firefiber 45 Minute Flush Fire Door
Lynden Door, Inc. (WA)	Lexington Manufacturing, LLC	Lexington Fire Shield 90 Min. Flush Fire Door
Lynden Door, Inc. (WA)	Lexington Manufacturing, LLC	Lexington 20/45/60 Min Composite Core Fire Door (G-P Stiles and Rails)
Lynden Door, Inc. (WA)	Lexington Manufacturing, LLC	Lexington Fire Fiber 20 Minute Flush Fire Door
Lynden Door, Inc. (WA)	Lexington Manufacturing, LLC	Lexington Fire Guard 60 Fire Door; Agri-Core
Lynden Door, Inc. (WA)	Lexington Manufacturing, LLC	Lexington Fire Guard 60A Fire Door : Agri-Core
Lynden Door, Inc. (WA)	Lexington Manufacturing, LLC	Lexington Response Flush Wood Light Kit
Lynden Door, Inc. (WA)	Lynden Door, Inc. (WA)	Lynden "Stile Line" Panel Fire Rated Door
Lynden Door, Inc. (WA)	Lynden Door, Inc. (WA)	Lynden 20 Min L20 MDF-R Fire Door
Lynden Door, Inc. (WA)	Lynden Door, Inc. (WA)	Lynden 20 Min (L20SP) Wood Core Fire Door
Lynden Door, Inc. (WA)	Lynden Door, Inc. (WA)	Lynden 20 Min Fire Doors NP/PP
Lynden Door, Inc. (WA)	Lynden Door, Inc. (WA)	Lynden 20 Min Profiled Particleboard Core Doors
Lynden Door, Inc. (WA)	Warm Springs Composite Products	Warm Springs - 20 Minute Solid Core Fire Door
Lynden Door, Inc. (WA)	Warm Springs Composite Products	Warm Springs - 20 Minute Solid Core Fire Door
Lynden Door, Inc. (WA)	Warm Springs Composite Products	Warm Springs Doors NP
Lynden Door, Inc. (WA)	Warm Springs Composite Products	Warm Springs Fire Door Components
Lynden Door, Inc. (WA)	Warm Springs Composite Products	Warm Springs Fire Door Components
Lynden Door, Inc. (WA)	Warm Springs Composite Products	Warm Springs 60 and 90 Minute Profiled Core Fire Door
Lynden Door, Inc. (WA)	Warm Springs Composite Products	Warm Springs 60-90 minute Single Swing Sound Transmission Doorset
Lynden Door, Inc. (WA)	Warm Springs Composite Products	Warm Springs 45-90 Minute Flush Doors

Supplier	Owner	Specification Description
	Liberty Millennium LLC	Certified Machiner Program - Liberty Millennium LLC dba Liberty Door
American Building Supply, Inc.	American Building Supply, Inc.	ABS 45 Min Communicating Door/Door Frame Assembly
American Building Supply, Inc.	American Building Supply, Inc.	ABS 45 Min Communicating Door/Door Frame Assembly
American Building Supply, Inc.	American Building Supply, Inc.	ABS 20 Minute Without Hose Aluminum Door Frame (Knock-Down)
American Building Supply, Inc.	American Building Supply, Inc.	ABS 20 Minute Without Hose Aluminum Door Frame (Knock-Down)
American Building Supply, Inc.	American Building Supply, Inc.	ABS 20 Minute Routed Particleboard Door (Without Hose-Stream)
American Building Supply, Inc.	American Building Supply, Inc.	ABS 20 Minute Routed Particleboard Door (Without Hose-Stream)
American Building Supply, Inc.	American Building Supply, Inc.	ABS 20 Min Wood Flush Fire Door - Cat. A & Cat. B
American Building Supply, Inc.	American Building Supply, Inc.	ABS Bravo 20 Min (with hose) Fire Door MDF Panel Type PP
American Building Supply, Inc.	American Building Supply, Inc.	ABS Category D - Door/Frame Assemblies
American Building Supply, Inc.	American Building Supply, Inc.	ABS Encore 20 Min (with hose) Routed Simulated Panel Fire Door PP
American Building Supply, Inc.	American Building Supply, Inc.	ABS Ovation and Encore 20 Min (with hose) Fire Door MDF Panel Type PP
American Building Supply, Inc.	American Building Supply, Inc.	ABS Infinity/Millennium 45-60 Min Fire Door with Inlay Moulding PP
American Building Supply, Inc.	American Building Supply, Inc.	ABS Infinity/Millennium 20 Min Fire Door w/Inlay Moulding
American Building Supply, Inc.	American Building Supply, Inc.	ABS 90 Minute Aluminum Door Frame
American Building Supply, Inc.	American Building Supply, Inc.	ABS 90 Minute Aluminum Door Frame
American Building Supply, Inc.	American Building Supply, Inc.	ABS 45 Min Fire Window Frame
American Building Supply, Inc.	American Building Supply, Inc.	ABS 45 Min Fire Window Frame
American Building Supply, Inc.	American Building Supply, Inc.	ABS Encore 20 Min (without hose) Routed Simulated Panel Fire Door PP
Classic Door & Millwork, Inc.	Classic Door & Millwork, Inc.	Classic Door 20 Min. Wood Panel Door NP w/hose
Lynden Door, Inc. (WA)	Creative Composites, Ltd.	Creative Composites 20 Minute NP/PP Fire Rated RigiCore EX Core Acoustic Fire Door

Supplier	Owner	Specification Description
Masonite Corporation	Masonite Corporation	Masonite 90-Minute / Metal-Edge Steel Door
Masonite Corporation	Masonite Corporation	Masonite 20-Minute / Fiberglass Door
Masonite Corporation	Masonite Corporation	Masonite 20-Minute / NP Particleboard Core
Masonite Corporation	Masonite Corporation	Masonite 45-60 Minute Profile Door with MDF Skin
Masonite Corporation	Masonite Corporation	Masonite Lite 45-90 Minute Flush Wood Composite NP/PP Fire Door
Masonite Corporation	Masonite Corporation	Masonite 20-Minute / Wood-edge Steel Door
Masonite Corporation	Masonite Corporation	Masonite 20-Minute / PP Particleboard Core w/Hose Stream
Woodport Doors, LLC	Masonite Corporation (Tampa, FL)	FC-20 Category "B" Fire Rated Door